(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Print date: 08/21/2002

Map symbol and soil name			У	Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	
Bp: Bestpitch		 -		 Very limited		 Very limited	
везсріссп	/3	Flooding				Depth to saturated zone	1.00
		Too clayey Salinity	1.00		1.00	Too clayey	1.00
		Depth to saturated zone	1.00		 	 	
Ca: Carmichael	35	 Very limited Too Sandy	1.00			 Very limited Depth to	11.00
		 Seepage	1.00	Depth to	11.00	saturated zone Too Sandy	1.00
		Depth to saturated zone	1.00	saturated zone 		 Seepage 	1.00
Carmichael	30	 Very limited Too Sandy		 Very limited Seepage		 Very limited Depth to	1.00
		 Seepage 	1.00	Depth to saturated zone	1.00	saturated zone Too Sandy	1.00
		Depth to saturated zone	1.00			 Seepage 	1.00
Co: Corsica	 - 50 	 Very limited Too Sandy	1.00			 Very limited Depth to	1.00
		 Seepage 	1.00	Depth to saturated zone	1.00	saturated zone Too Sandy	1.00
		Depth to saturated zone	1.00			 Seepage 	1.00
	İ		į	 		Too clayey	0.50
Corsica	20	Very limited Too Sandy	1.00			Very limited Depth to saturated zone	1.00
	İ	 Seepage 	1.00	Depth to saturated zone	1.00		1.00
		Depth to saturated zone	1.00	 		Seepage 	1.00
		 				Too clayey	10.50

Map symbol and soil name	Pct. of map unit	İ	У	Area sanitary landfill 		Daily cover for landfill	
				Rating class and limiting features			
DhC: Downer	35	Too Sandy Seepage 	1.00	Seepage Depth to saturated zone	11.00		11.00
Hammonton	35	saturated zone Very limited	 1.00 1.00	 Very limited Seepage Depth to saturated zone	1.00 1.00	 Very limited Too Sandy Seepage Depth to saturated zone	
DoB: Downer	 - 60 	Too Sandy Seepage 	 1.00 1.00 1.00	 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Very limited Too Sandy Seepage 	11.00
DOE: Downer	50	Slope Too Sandy Seepage 	1.00 1.00 1.00	Slope Seepage Depth to saturated zone	1.00 1.00 1.00		 1.00 1.00 0.50 0.01
DUD: Downer	- 40 - 40 	Too Sandy Seepage 	1.00 1.00 	Seepage Depth to saturated zone Slope 	1.00 1.00	Slope 	11.00
Unicorn	40	 Verv limited	11.00	 Very limited Seepage Depth to saturated zone	1.00 1.00 		11.00
Fg: Fallsington	35	 Very limited Too Sandy Seepage Depth to saturated zone	1.00	1	11.00	 Very limited Depth to saturated zone Too Sandy Seepage	1.00

and soil name	 Pct. of map unit	landfill	Trench sanitary			Daily cover for landfill	
	 	 Rating class and limiting features		Rating class and limiting features			Value
Fallsington	20	 Very limited Too Sandy 	11.00	 Very limited Seepage 	1.00	 Very limited Depth to saturated zone	1.00
	 	ĺ	1.00 1.00	Depth to saturated zone 		ĺ	1.00 1.00
FmA: Fort Mott	 60 	 Very limited Seepage Depth to saturated zone	1.00	Seepage Depth to	 1.00 1.00		 0.21
FmB: Fort Mott	 60 	 Very limited Seepage Depth to saturated zone	1.00 1.00	Seepage Depth to	11.00		 1.00
GfB: Galestown	 40 	Seepage Too Sandy 	1.00	Seepage Depth to saturated zone	11.00		11.00
Fort Mott	 30 	 Verv limited	1.00 1.00	Seepage Depth to	 1.00 1.00		 1.00
GfC: Galestown	 40 	Seepage Too Sandy Depth to	11.00	 Very limited Seepage Depth to saturated zone	11.00	 Very limited Too Sandy Seepage 	11.00
Fort Mott	 30 	Seepage Too Sandy 	 1.00 1.00 1.00	Seepage Depth to saturated zone	11.00	 Very limited Too Sandy Seepage 	 1.00 1.00
GrA: Greenwich	 60 	 Very limited Seepage Depth to	1.00 1.00	Seepage	11.00		 0.50

Map symbol and soil name	 Pct. of map unit	landfill	Trench sanitary			Daily cover for landfill	
	 	Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	
HnA: Hammonton	 55 	Too Sandy Seepage 	1.00	Seepage Depth to saturated zone	 1.00 1.00		 1.00 0.50 0.44
HnB: Hammonton	 65 	Too Sandy Seepage 	11.00	Seepage Depth to saturated zone	 1.00 1.00		11.00
Ho: Honga	 100 100 	Flooding Salinity 	1.00	Flooding Depth to saturated zone 		 Very limited Depth to saturated zone Salinity Too clayey	1.00
Hr: Hurlock	 35 	 Very limited Too Sandy 	1 1 . 00	 Very limited Seepage	1.00 1.00	 Very limited Depth to saturated zone Too Sandy	1.00
Hurlock	 30 	Too Sandy 	1.00	 Very limited Seepage 	 	Seepage Very limited Depth to saturated zone Too Sandy Seepage	1.00
IgA: Ingleside	 65 	Too Sandy		Seepage	11.00	 Very limited	11.00
IgB: Ingleside	 60 	 Very limited Seepage Depth to saturated zone 	 1.00 1.00		 1.00 1.00	 Somewhat limited Seepage 	0.50

Map symbol and soil name	Pct. of map unit	l landfill		Area sanitary landfill 		Daily cover for landfill	
				 Rating class and limiting features			
IgC: Ingleside		Seepage Depth to	1.00 1.00	Seepage			0.50
Kn: Kentuck	50	 Very limited Depth to saturated zone	1.00	 Very limited Depth to saturated zone	1.00	 Very limited Depth to saturated zone	1.00
Lo: Longmarsh	 65 	 Very limited Flooding Seepage	1.00	 Very limited Flooding Seepage 	11.00	 Very limited Seepage Depth to	1.00
		 Too Sandy Depth to saturated zone	1.00	Depth to saturated zone	1.00	saturated zone Too Sandy 	0.50
LZ: Longmarsh	30	 Very limited Flooding	1.00		 1.00 1.00	Depth to	11.00
	 			Depth to saturated zone	11.00		0.50
Zekiah	 30 		1	 Very limited Flooding Seepage Depth to		saturated zone	0.50
	 	 Depth to saturated zone 	1.00	saturated zone 		 	
M-W: Water	100	 Not rated 		 Not rated 		 Not rated 	
MkA: Matapeake	 80 	 Very limited Seepage Depth to saturated zone	1.00	 Very limited Depth to saturated zone 	1.00	 Not limited 	
MkB: Matapeake	70	 Very limited Seepage Depth to saturated zone	1.00	 Very limited Depth to saturated zone 	1.00	 Not limited 	

	Pct. of map unit	į į			Daily cover for landfill		
	 	 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	Value
MkC: Matapeake	70 		1.00	 Very limited Depth to saturated zone 	11.00	 Not limited 	
MtA: Mattapex	 45 			 Very limited Seepage Depth to		saturated zone	 0.68 0.50
Butlertown	 30 	saturated zone Somewhat limited Depth to	 0.56	saturated zone Somewhat limited Depth to saturated zone	 0.56	 Seepage Somewhat limited Depth to saturated zone	0.21
MtB: Mattapex	 45 		11.00	Seepage Depth to	11.00	saturated zone Too clayey 	0.68
Butlertown	 30 	 Somewhat limited Depth to saturated zone	 0.56	 Somewhat limited Depth to saturated zone	0.56	Seepage Somewhat limited Depth to saturated zone	0.21
MtC: Mattapex	 70 	Seepage 	1	 Very limited Seepage Depth to saturated zone	1.00 1.00	saturated zone	0.68
NsA: Nassawango	 65 	 Very limited Too Sandy Depth to saturated zone	1.00	Depth to saturated zone	11.00	 -	11.00
NsB: Nassawango		 Very limited Too Sandy 	1.00	Depth to saturated zone	11.00	 Very limited Too Sandy Too clayey	1.00

Map symbol and soil name	 Pct. of map unit	I	Trench sanitary landfill		Area sanitary landfill 		r
	 			 Rating class and limiting features 			
Ot: Othello		Too Sandy 	1.00 1.00	 Depth to saturated zone	 1.00 	saturated zone Too Sandy Seepage	1.00
Othello		Seepage Depth to saturated zone	11.00	İ	 1.00 	saturated zone	 1.00 1.00
PiA: Pineyneck	 50 	 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Very limited Seepage Depth to saturated zone	 1.00 0.68
PiB: Pineyneck	 50 	 Very limited Seepage Depth to saturated zone	11.00	 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Very limited Seepage Depth to saturated zone	 1.00 0.68
PiC: Pineyneck	 50 	 Very limited Seepage Depth to saturated zone	11.00	 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Very limited Seepage Depth to saturated zone	 1.00 0.68
Pk: Puckum	 65 	 Content of organic matter Seepage 	 1.00 1.00	Depth to saturated zone	 1.00 1.00	saturated zone Content of organic matter	1.00
UbB: Udorthents	 85 	 Not rated 		 Not rated 	 	 Not rated 	
UdB: Udorthents	 45 	 Very limited Depth to saturated zone 	1.00	 Very limited Depth to saturated zone 	1.00	 Not limited 	

and soll name	 Pct. of map unit	IandIlli 	Trench sanitary landfill		Area sanitary landfill 		r
	 	 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	Value
UlB: Udorthents, Landfill	 80 	 Not rated 	 	 Not rated 	 	 Not rated 	
UoA: Unicorn	 65 	Too Sandy Seepage 	1.00 1.00	Seepage Depth to saturated zone	1.00	 Somewhat limited Too Sandy Seepage 	 0.50 0.21
UoB: Unicorn	 55 		11.00	 Very limited Seepage Depth to saturated zone 	 1.00 1.00	 Somewhat limited Too Sandy Seepage 	 0.50 0.21
Ur: Urban Land	 80 	 Not rated 	 	 Not rated 	 	 Not rated 	
UsA: Unicorn	 45 	 Very limited Too Sandy Seepage Depth to		 Very limited Seepage Depth to saturated zone	 1.00 1.00	 Somewhat limited Too Sandy Seepage 	 0.50 0.21
Sassafras	 25 		 1.00 1.00	 Very limited Depth to saturated zone 	 1.00 	 Not limited 	
UsB: Unicorn	 35 	100 Sandy Seepage 	1.00	 Very limited Seepage Depth to saturated zone 	 1.00 1.00	 Somewhat limited Too Sandy Seepage 	 0.50 0.21
Sassafras	30 	 Very limited Seepage 	1.00	Depth to saturated zone	 1.00 	 Not limited 	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	landfill	Trench sanitary landfill		 Area sanitary landfill 		Daily cover for landfill	
	 	Rating class and limiting features		Rating class and limiting features			Value	
UsC: Unicorn	 40 	Too Sandy Seepage 	1.00	Seepage	11.00	 Very limited Seepage Too Sandy 	11.00	
Sassafras	25	 Too Sandy Seepage Depth to saturated zone	1.00			Seepage	11.00	
W: Water	100	 Not rated 	 	 Not rated 		 Not rated 		
Wh: Whitemarsh	 30 	 Very limited Seepage Depth to saturated zone	1.00	 Very limited Depth to saturated zone 		 Very limited Depth to saturated zone 	 1.00 	